

tf.compat.v1.flags.DEFINE_alias Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/flags/DEFINE_alias

Defines an alias flag for an existing one.

Function Signatures

```
tf.compat.v1.flags.DEFINE_alias( name: Text, original_name:
Text, flag_values: tf.compat.v1.flags.FlagValues =
_flagvalues.FLAGS, module_name: Optional[Text] = None ) ->
_flagvalues.FlagHolder[Any]
```

Code Examples

```
tf.compat.v1.flags.DEFINE_alias(  
    name: Text,  
    original_name: Text,  
    flag_values: tf.compat.v1.flags.FlagValues = _flagvalues.FLAGS,  
    module_name: Optional[Text] = None  
) -> _flagvalues.FlagHolder[Any]
```

```
tf.compat.v1.flags.DEFINE_alias(  
    name: Text,  
    original_name: Text,  
    flag_values: tf.compat.v1.flags.FlagValues = _flagvalues.FLAGS,  
    module_name: Optional[Text] = None  
) -> _flagvalues.FlagHolder[Any]
```

```
tf.compat.v1.flags.FlagValues
```

Documentation

Defines an alias flag for an existing one.

Returns

Raises