

tf.compat.v1.flags.multi_flags_validator

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/flags/multi_flags_validator

A function decorator for defining a multi-flag validator.

Function Signatures

```
tf.compat.v1.flags.multi_flags_validator( flag_names,  
message='Flag validation failed',  
flag_values=_flagvalues.FLAGS )  
  
@flags.multi_flags_validator(['foo', 'bar']) def  
_CheckFooBar(flags_dict): ...
```

Code Examples

```
tf.compat.v1.flags.multi_flags_validator(  
    flag_names,  
    message='Flag validation failed',  
    flag_values=_flagvalues.FLAGS  
)
```

```
tf.compat.v1.flags.multi_flags_validator(  
    flag_names,  
    message='Flag validation failed',  
    flag_values=_flagvalues.FLAGS  
)
```

```
@flags.multi_flags_validator(['foo', 'bar'])  
def _CheckFooBar(flags_dict):  
    ...
```

```
@flags.multi_flags_validator(['foo', 'bar'])  
def _CheckFooBar(flags_dict):  
    ...
```

Documentation

A function decorator for defining a multi-flag validator.

Registers the decorated function as a validator for `flag_names`, e.g.::

See `:func:register_multi_flags_validator` for the specification of checker function.

Returns

`##` Raises