

tf.compat.v1.global_variables_initializer

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/global_variables_initializer

Returns an Op that initializes global variables.

Function Signatures

```
tf.compat.v1.global_variables_initializer()  
variables_initializer(global_variables())
```

Code Examples

```
tf.compat.v1.global_variables_initializer()
```

```
tf.compat.v1.global_variables_initializer()
```

Documentation

Returns an Op that initializes global variables.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.initializers.global_variables`

Migrate to TF2

In TF2, variables are initialized immediately when they are created. There is no longer a need to run variable initializers before using them.

Description

Used in the notebooks

- Migrating model checkpoints
- Validating correctness & numerical equivalence
- Debug a TensorFlow 2 migrated training pipeline
- Universal Sentence Encoder-Lite demo
- Generating Images with Little Data Using S3GAN
- Fitting Dirichlet Process Mixture Model Using Preconditioned Stochastic Gradient Langevin Dynamics
- Generating Images with BigBiGAN
- Generating Images with BigGAN

This is just a shortcut for `variables_initializer(global_variables())`

Returns
