

tf.compat.v1.image.draw_bounding_boxes

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/image/draw_bounding_boxes

Draw bounding boxes on a batch of images.

Function Signatures

```
tf.compat.v1.image.draw_bounding_boxes( images, boxes,  
name=None, colors=None )
```

Code Examples

```
tf.compat.v1.image.draw_bounding_boxes(  
images, boxes, name=None, colors=None  
)
```

```
tf.compat.v1.image.draw_bounding_boxes(  
images, boxes, name=None, colors=None  
)
```

```
# create an empty image  
img = tf.zeros([1, 3, 3, 3])  
# draw a box around the image  
box = np.array([0, 0, 1, 1])  
boxes = box.reshape([1, 1, 4])  
# alternate between red and blue  
colors = np.array([[1.0, 0.0, 0.0], [0.0, 0.0, 1.0]])  
tf.image.draw_bounding_boxes(img, boxes, colors)
```

```
# create an empty image
```

```
img = tf.zeros([1, 3, 3, 3])
```

```
# draw a box around the image
```

```
box = np.array([0, 0, 1, 1])
```

```
boxes = box.reshape([1, 1, 4])
```

Documentation

Draw bounding boxes on a batch of images.

Outputs a copy of images but draws on top of the pixels zero or more bounding boxes specified by the locations in boxes. The coordinates of the each bounding box in boxes are encoded as [y_min, x_min, y_max, x_max]. The bounding box coordinates are floats in [0.0, 1.0] relative to the width and the height of the underlying image.

For example, if an image is 100 x 200 pixels (height x width) and the bounding box is [0.1, 0.2, 0.5, 0.9], the upper-left and bottom-right coordinates of the bounding box will be (40, 10) to (180, 50) (in (x,y) coordinates).

Parts of the bounding box may fall outside the image.

Returns

Usage Example: