

tf.compat.v1.lite.TFLiteConverter Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/lite/TFLiteConverter

Convert a TensorFlow model into output_format.

Function Signatures

```
tf.compat.v1.lite.TFLiteConverter( graph_def, input_tensors,  
output_tensors, input_arrays_with_shape=None,  
output_arrays=None, experimental_debug_info_func=None )
```

Code Examples

```
tf.compat.v1.lite.TFLiteConverter(  
graph_def,  
input_tensors,  
output_tensors,  
input_arrays_with_shape=None,  
output_arrays=None,  
experimental_debug_info_func=None  
)
```

```
tf.compat.v1.lite.TFLiteConverter(  
graph_def,  
input_tensors,  
output_tensors,  
input_arrays_with_shape=None,  
output_arrays=None,  
experimental_debug_info_func=None  
)
```

```
@classmethod  
from_frozen_graph(  
graph_def_file, input_arrays, output_arrays, input_shapes=None  
)
```

```
@classmethod
```

```
from_frozen_graph(  
graph_def_file, input_arrays, output_arrays, input_shapes=None  
)
```

```
@classmethod  
from_keras_model_file(  
model_file,  
input_arrays=None,  
input_shapes=None,  
output_arrays=None,  
custom_objects=None  
)
```

Documentation

Convert a TensorFlow model into output_format.

Used in the notebooks

- [Migrating your TFLite code to TF2](#)

This is used to convert from a TensorFlow GraphDef, SavedModel or tf.keras model into either a TFLite FlatBuffer or graph visualization.

Raises

Attributes

Methods

convert

[View source](#)

Converts a TensorFlow GraphDef based on instance variables.

from_frozen_graph

[View source](#)

Creates a TFLiteConverter class from a file containing a frozen GraphDef.

from_keras_model_file

[View source](#)

Creates a TFLiteConverter class from a tf.keras model file.

from_saved_model

[View source](#)

Creates a TFLiteConverter class from a SavedModel.

from_session

[View source](#)

Creates a TFLiteConverter class from a TensorFlow Session.

get_input_arrays

[View source](#)

Returns a list of the names of the input tensors.