

tf.compat.v1.math.acos Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/acos

Computes acos of x element-wise.

Function Signatures

```
tf.compat.v1.math.acos( x, name=None )  
y = tf.math.acos(x)  
x = tf.math.acos(y)
```

Code Examples

```
tf.compat.v1.math.acos(  
    x, name=None  
)
```

```
tf.compat.v1.math.acos(  
    x, name=None  
)
```

```
x = tf.constant([1.0, -0.5, 3.4, 0.2, 0.0, -2], dtype = tf.float32)  
tf.math.acos(x)
```

```
x = tf.constant([1.0, -0.5, 3.4, 0.2, 0.0, -2], dtype = tf.float32)
```

```
tf.math.acos(x)
```

```
numpy= array([0. , 2.0943952, nan, 1.3694383, 1.5707964, nan],
```

```
dtype=float32)>
```

Documentation

Computes acos of x element-wise.

Provided an input tensor, the `tf.math.acos` operation returns the inverse cosine of each element of the tensor.

If $y = \text{tf.math.cos}(x)$ then, $x = \text{tf.math.acos}(y)$.

Input range is $[-1, 1]$ and the output has a range of $[0, \pi]$.

For example:

Returns