

tf.compat.v1.math.atan Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/atan

Computes the trigonometric inverse tangent of x element-wise.

Function Signatures

```
tf.compat.v1.math.atan( x: Annotated[Any, tf.raw_ops.Any],  
name=None ) -> Annotated[Any, tf.raw_ops.Any]
```

Code Examples

```
tf.compat.v1.math.atan(  
x: Annotated[Any, tf.raw_ops.Any],  
name=None  
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.compat.v1.math.atan(  
x: Annotated[Any, tf.raw_ops.Any],  
name=None  
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.raw_ops.Any
```

```
tf.raw_ops.Any
```

```
# Note: [1.047, 0.785] ~= [(pi/3), (pi/4)]  
x = tf.constant([1.047, 0.785])  
y = tf.math.tan(x) # [1.731261, 0.99920404]  
tf.math.atan(y) # [1.047, 0.785] = x
```

```
# Note: [1.047, 0.785] ~= [(pi/3), (pi/4)]  
x = tf.constant([1.047, 0.785])  
y = tf.math.tan(x) # [1.731261, 0.99920404]  
tf.math.atan(y) # [1.047, 0.785] = x
```

Documentation

Computes the trigonometric inverse tangent of x element-wise.

The `tf.math.atan` operation returns the inverse of `tf.math.tan`, such that if $y = \text{tf.math.tan}(x)$ then, $x = \text{tf.math.atan}(y)$.

For example:

Returns