

tf.compat.v1.math.bessel_i0 Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/bessel_i0

Computes the Bessel i0 function of x element-wise.

Function Signatures

```
tf.compat.v1.math.bessel_i0( x, name=None )  
i0e(x)  
tf.math.special.bessel_i0([-1., -0.5, 0.5, 1.]).numpy()
```

Code Examples

```
tf.compat.v1.math.bessel_i0(  
x, name=None  
)
```

```
tf.compat.v1.math.bessel_i0(  
x, name=None  
)
```

```
tf.math.special.bessel_i0([-1., -0.5, 0.5, 1.]).numpy()  
array([1.26606588, 1.06348337, 1.06348337, 1.26606588],  
dtype=float32)
```

```
tf.math.special.bessel_i0([-1., -0.5, 0.5, 1.]).numpy()
```

```
array([1.26606588, 1.06348337, 1.06348337, 1.26606588],  
dtype=float32)
```

Documentation

Computes the Bessel i_0 function of x element-wise.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.math.special.bessel_i0`

Modified Bessel function of order 0.

It is preferable to use the numerically stabler function $i_0e(x)$ instead.

Returns

scipy compatibility

Equivalent to `scipy.special.i0`