

tf.compat.v1.math.bessel_i1e Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/bessel_i1e

Computes the Bessel i1e function of x element-wise.

Function Signatures

```
tf.compat.v1.math.bessel_i1e( x, name=None )  
tf.math.special.bessel_i1e([-1., -0.5, 0.5, 1.]).numpy()  
array([-0.20791042, -0.15642083, 0.15642083, 0.20791042],  
      dtype=float32)
```

Code Examples

```
tf.compat.v1.math.bessel_i1e(  
x, name=None  
)
```

```
tf.compat.v1.math.bessel_i1e(  
x, name=None  
)
```

```
tf.math.special.bessel_i1e([-1., -0.5, 0.5, 1.]).numpy()  
array([-0.20791042, -0.15642083,  0.15642083,  0.20791042],  
dtype=float32)
```

```
tf.math.special.bessel_i1e([-1., -0.5, 0.5, 1.]).numpy()
```

```
array([-0.20791042, -0.15642083,  0.15642083,  0.20791042],  
dtype=float32)
```

Documentation

Computes the Bessel i1e function of x element-wise.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.math.special.bessel_i1e`

Modified Bessel function of order 1.

Returns

If x is a SparseTensor, returns

`SparseTensor(x.indices, tf.math.bessel_i1e(x.values, ...), x.dense_shape)`

scipy compatibility

Equivalent to `scipy.special.i1e`