

tf.compat.v1.math.conj Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/conj

Returns the complex conjugate of a complex number.

Function Signatures

```
tf.compat.v1.math.conj( x, name=None )
```

Code Examples

```
tf.compat.v1.math.conj(  
x, name=None  
)
```

```
tf.compat.v1.math.conj(  
x, name=None  
)
```

```
x = tf.constant([-2.25 + 4.75j, 3.25 + 5.75j])  
tf.math.conj(x)
```

```
x = tf.constant([-2.25 + 4.75j, 3.25 + 5.75j])
```

```
tf.math.conj(x)
```

```
numpy=array([-2.25-4.75j,  3.25-5.75j])>
```

```
x = tf.constant([-2.25, 3.25])  
tf.math.conj(x)
```

Documentation

Returns the complex conjugate of a complex number.

Given a tensor x of complex numbers, this operation returns a tensor of complex numbers that are the complex conjugate of each element in x . The complex numbers in x must be of the form $(a + bj)$, where a is the real part and b is the imaginary part.

The complex conjugate returned by this operation is of the form $(a - bj)$.

For example:

If x is real, it is returned unchanged.

For example:

Returns

Raises

numpy compatibility

Equivalent to `numpy.conj`.