

tf.compat.v1.math.cos Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/cos

Computes cos of x element-wise.

Function Signatures

```
tf.compat.v1.math.cos( x: Annotated[Any, tf.raw_ops.Any],  
name=None ) -> Annotated[Any, tf.raw_ops.Any]  
(-inf, inf)
```

Code Examples

```
tf.compat.v1.math.cos(  
x: Annotated[Any, tf.raw_ops.Any],  
name=None  
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.compat.v1.math.cos(  
x: Annotated[Any, tf.raw_ops.Any],  
name=None  
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.raw_ops.Any
```

```
tf.raw_ops.Any
```

```
x = tf.constant([-float("inf"), -9, -0.5, 1, 1.2, 200, 10000,  
float("inf")])  
tf.math.cos(x) ==> [nan -0.91113025 0.87758255 0.5403023 0.36235774  
0.48718765 -0.95215535 nan]
```

```
x = tf.constant([-float("inf"), -9, -0.5, 1, 1.2, 200, 10000,  
float("inf")])  
tf.math.cos(x) ==> [nan -0.91113025 0.87758255 0.5403023 0.36235774  
0.48718765 -0.95215535 nan]
```

Documentation

Computes cos of x element-wise.

Given an input tensor, this function computes cosine of every element in the tensor. Input range is $(-\infty, \infty)$ and output range is $[-1, 1]$. If input lies outside the boundary, nan is returned.

Returns