

tf.compat.v1.math.maximum Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/maximum

Returns the max of x and y (i.e. $x > y$? x : y) element-wise.

Function Signatures

```
tf.compat.v1.math.maximum( x: Annotated[Any, tf.raw_ops.Any],
y: Annotated[Any, tf.raw_ops.Any], name=None ) ->
Annotated[Any, tf.raw_ops.Any]
x = tf.constant([0., 0., 0., 0.]
```

Code Examples

```
tf.compat.v1.math.maximum(  
x: Annotated[Any, tf.raw_ops.Any],  
y: Annotated[Any, tf.raw_ops.Any],  
name=None  
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.compat.v1.math.maximum(  
x: Annotated[Any, tf.raw_ops.Any],  
y: Annotated[Any, tf.raw_ops.Any],  
name=None  
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.raw_ops.Any
```

```
tf.raw_ops.Any
```

```
tf.raw_ops.Any
```

```
x = tf.constant([0., 0., 0., 0.])  
y = tf.constant([-2., 0., 2., 5.])  
tf.math.maximum(x, y)
```

```
x = tf.constant([0., 0., 0., 0.])
```

```
y = tf.constant([-2., 0., 2., 5.])
```

Documentation

Returns the max of x and y (i.e. $x > y ? x : y$) element-wise.

Example:

Note that maximum supports broadcast semantics for x and y.

The reduction version of this elementwise operation is `tf.math.reduce_max`

Returns