

tf.compat.v1.math.sigmoid Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/sigmoid

Computes sigmoid of x element-wise.

Function Signatures

```
tf.compat.v1.math.sigmoid( x, name=None )  
y = / (1 + )  
x = tf.constant([0.0, 1.0, 50.0, 100.0])
```

Code Examples

```
tf.compat.v1.math.sigmoid(  
x, name=None  
)
```

```
tf.compat.v1.math.sigmoid(  
x, name=None  
)
```

```
x = tf.constant([0.0, 1.0, 50.0, 100.0])  
tf.math.sigmoid(x)
```

```
x = tf.constant([0.0, 1.0, 50.0, 100.0])
```

```
tf.math.sigmoid(x)
```

```
numpy=array([0.5, 0.7310586, 1.0, 1.0], dtype=float32)>
```

```
x = tf.constant([-100.0, -50.0, -1.0, 0.0])  
tf.math.sigmoid(x)
```

Documentation

Computes sigmoid of x element-wise.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.nn.sigmoid`

Formula for calculating $\mathrm{sigmoid}(x) = y = 1 / (1 + \exp(-x))$.

For $(x \in (-\infty, \infty))$, $\mathrm{sigmoid}(x) \in (0, 1)$.

Example Usage:

If a positive number is large, then its sigmoid will approach to 1 since the formula will be $y = 1 / (1 +)$

If a negative number is large, its sigmoid will approach to 0 since the formula will be $y = 1 / (1 +)$

Returns

Usage Example:

scipy compatibility

Equivalent to `scipy.special.expit`