

tf.compat.v1.math.softplus Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/softplus

Computes elementwise softplus: $\text{softplus}(x) = \log(\exp(x) + 1)$.

Function Signatures

```
softplus(x) = log(exp(x) + 1)  
tf.compat.v1.math.softplus( features, name=None )
```

Code Examples

```
tf.compat.v1.math.softplus(  
features, name=None  
)
```

```
tf.compat.v1.math.softplus(  
features, name=None  
)
```

```
import tensorflow as tf  
tf.math.softplus(tf.range(0, 2, dtype=tf.float32)).numpy()  
array([0.6931472, 1.3132616], dtype=float32)
```

```
import tensorflow as tf
```

```
tf.math.softplus(tf.range(0, 2, dtype=tf.float32)).numpy()
```

```
array([0.6931472, 1.3132616], dtype=float32)
```

Documentation

Computes elementwise softplus: $\text{softplus}(x) = \log(\exp(x) + 1)$.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.nn.softplus`

Used in the notebooks

- [Fitting Dirichlet Process Mixture Model Using Preconditioned Stochastic Gradient Langevin Dynamics](#)

`softplus` is a smooth approximation of `relu`. Like `relu`, `softplus` always takes on positive values.

Example:

`## Returns`