

tf.compat.v1.math.special.bessel_k0

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/special/bessel_k0

Computes the Bessel k_0 function of x element-wise.

Function Signatures

```
tf.compat.v1.math.special.bessel_k0( x, name=None )  
k0e(x)  
tf.math.special.bessel_k0([0.5, 1., 2., 4.]).numpy()  
array([0.92441907, 0.42102444, 0.11389387, 0.01115968],  
      dtype=float32)
```

Code Examples

```
tf.compat.v1.math.special.bessel_k0(  
x, name=None  
)
```

```
tf.compat.v1.math.special.bessel_k0(  
x, name=None  
)
```

```
tf.math.special.bessel_k0([0.5, 1., 2., 4.]).numpy()  
array([0.92441907, 0.42102444, 0.11389387, 0.01115968],  
dtype=float32)
```

```
tf.math.special.bessel_k0([0.5, 1., 2., 4.]).numpy()
```

```
array([0.92441907, 0.42102444, 0.11389387, 0.01115968],  
dtype=float32)
```

Documentation

Computes the Bessel k_0 function of x element-wise.

Modified Bessel function of order 0.

It is preferable to use the numerically stabler function $k_0e(x)$ instead.

Returns

scipy compatibility

Equivalent to `scipy.special.k0`

