

tf.compat.v1.math.special.bessel_k1

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/math/special/bessel_k1

Computes the Bessel k1 function of x element-wise.

Function Signatures

```
tf.compat.v1.math.special.bessel_k1( x, name=None )  
k1e(x)  
tf.math.special.bessel_k1([0.5, 1., 2., 4.]).numpy()  
array([1.65644112, 0.60190723, 0.13986588, 0.0124835 ],  
      dtype=float32)
```

Code Examples

```
tf.compat.v1.math.special.bessel_k1(  
x, name=None  
)
```

```
tf.compat.v1.math.special.bessel_k1(  
x, name=None  
)
```

```
tf.math.special.bessel_k1([0.5, 1., 2., 4.]).numpy()  
array([1.65644112, 0.60190723, 0.13986588, 0.0124835 ],  
dtype=float32)
```

```
tf.math.special.bessel_k1([0.5, 1., 2., 4.]).numpy()
```

```
array([1.65644112, 0.60190723, 0.13986588, 0.0124835 ],  
dtype=float32)
```

Documentation

Computes the Bessel k1 function of x element-wise.

Modified Bessel function of order 1.

It is preferable to use the numerically stabler function `k1e(x)` instead.

Returns

scipy compatibility

Equivalent to `scipy.special.k1`

