

tf.compat.v1.metrics.mean_tensor Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/metrics/mean_tensor

Computes the element-wise (weighted) mean of the given tensors.

Function Signatures

```
tf.compat.v1.metrics.mean_tensor( values, weights=None,  
metrics_collections=None, updates_collections=None, name=None  
)
```

Code Examples

```
tf.compat.v1.metrics.mean_tensor(  
    values,  
    weights=None,  
    metrics_collections=None,  
    updates_collections=None,  
    name=None  
)
```

```
tf.compat.v1.metrics.mean_tensor(  
    values,  
    weights=None,  
    metrics_collections=None,  
    updates_collections=None,  
    name=None  
)
```

Documentation

Computes the element-wise (weighted) mean of the given tensors.

In contrast to the `mean` function which returns a scalar with the mean, this function returns an average tensor with the same shape as the input tensors.

The `mean_tensor` function creates two local variables, `total_tensor` and `count_tensor` that are used to compute the average of values. This average is ultimately returned as `mean` which is an idempotent operation that simply divides `total` by `count`.

For estimation of the metric over a stream of data, the function creates an `update_op` operation that updates these variables and returns the mean. `update_op` increments `total` with the reduced sum of the product of values and weights, and it increments `count` with the reduced sum of weights.

If `weights` is `None`, `weights` default to 1. Use weights of 0 to mask values.

Returns

Raises