

tf.compat.v1.metrics.precision_at_top_k

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/metrics/precision_at_top_k

Computes precision@k of the predictions with respect to sparse labels.

Function Signatures

```
tf.compat.v1.metrics.precision_at_top_k( labels,  
predictions_idx, k=None, class_id=None, weights=None,  
metrics_collections=None, updates_collections=None, name=None  
)
```

Code Examples

```
tf.compat.v1.metrics.precision_at_top_k(  
    labels,  
    predictions_idx,  
    k=None,  
    class_id=None,  
    weights=None,  
    metrics_collections=None,  
    updates_collections=None,  
    name=None  
)
```

```
tf.compat.v1.metrics.precision_at_top_k(  
    labels,  
    predictions_idx,  
    k=None,  
    class_id=None,  
    weights=None,  
    metrics_collections=None,  
    updates_collections=None,  
    name=None  
)
```

Documentation

Computes precision@k of the predictions with respect to sparse labels.

Differs from `sparse_precision_at_k` in that predictions must be in the form of top k class indices, whereas `sparse_precision_at_k` expects logits.
Refer to `sparse_precision_at_k` for more details.

Returns

Raises