

tf.compat.v1.nn.conv3d Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/nn/conv3d

Computes a 3-D convolution given 5-D input and filter tensors.

Function Signatures

```
tf.compat.v1.nn.conv3d( input, filter=None, strides=None,
padding=None, data_format='NDHWC', dilations=[1, 1, 1, 1, 1],
name=None, filters=None )
```

Code Examples

```
tf.compat.v1.nn.conv3d(  
    input,  
    filter=None,  
    strides=None,  
    padding=None,  
    data_format='NDHWC',  
    dilations=[1, 1, 1, 1, 1],  
    name=None,  
    filters=None  
)
```

```
tf.compat.v1.nn.conv3d(  
    input,  
    filter=None,  
    strides=None,  
    padding=None,  
    data_format='NDHWC',  
    dilations=[1, 1, 1, 1, 1],  
    name=None,  
    filters=None  
)
```

Documentation

Computes a 3-D convolution given 5-D input and filter tensors.

In signal processing, cross-correlation is a measure of similarity of two waveforms as a function of a time-lag applied to one of them. This is also known as a sliding dot product or sliding inner-product.

Our Conv3D implements a form of cross-correlation.

Returns

