

tf.compat.v1.random_poisson Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/random_poisson

Draws shape samples from each of the given Poisson distribution(s).

Function Signatures

```
tf.compat.v1.random_poisson( lam, shape,  
dtype=tf.dtypes.float32, seed=None, name=None )
```

Code Examples

```
tf.compat.v1.random_poisson(  
lam,  
shape,  
dtype=tf.dtypes.float32,  
seed=None,  
name=None  
)
```

```
tf.compat.v1.random_poisson(  
    lam,  
    shape,  
    dtype=tf.dtypes.float32,  
    seed=None,  
    name=None  
)
```

```
tf.dtypes.float32
```

```
samples = tf.random.poisson([0.5, 1.5], [10])  
# samples has shape [10, 2], where each slice[:, 0] and[:, 1]  
represents  
# the samples drawn from each distribution  
samples = tf.random.poisson([12.2, 3.3], [7, 5])  
# samples has shape [7, 5, 2], where each slice[:, :, 0] and[:,  
:, 1]  
# represents the 7x5 samples drawn from each of the two  
distributions
```

```
samples = tf.random.poisson([0.5, 1.5], [10])  
# samples has shape [10, 2], where each slice[:, 0] and[:, 1]  
represents  
# the samples drawn from each distribution  
samples = tf.random.poisson([12.2, 3.3], [7, 5])  
# samples has shape [7, 5, 2], where each slice[:, :, 0] and[:,  
:, 1]  
# represents the 7x5 samples drawn from each of the two  
distributions
```

Documentation

Draws shape samples from each of the given Poisson distribution(s).

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.random.poisson`

lam is the rate parameter describing the distribution(s).

Example:

Returns