

tf.compat.v1.sparse_segment_mean

Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/sparse_segment_mean

Computes the mean along sparse segments of a tensor.

Function Signatures

```
tf.compat.v1.sparse_segment_mean( data, indices, segment_ids,  
name=None, num_segments=None, sparse_gradient=False )
```

Code Examples

```
tf.compat.v1.sparse_segment_mean(  
    data,  
    indices,  
    segment_ids,  
    name=None,  
    num_segments=None,  
    sparse_gradient=False  
)
```

```
tf.compat.v1.sparse_segment_mean(  
    data,  
    indices,  
    segment_ids,  
    name=None,  
    num_segments=None,  
    sparse_gradient=False  
)
```

Documentation

Computes the mean along sparse segments of a tensor.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.sparse.segment_mean`

Read the section on
segmentation
for an explanation of segments.

Like `tf.math.segment_mean`, but `segment_ids` can have rank less than data's first dimension, selecting a subset of dimension 0, specified by indices.

`segment_ids` is allowed to have missing ids, in which case the output will be zeros at those indices. In those cases `num_segments` is used to determine the size of the output.

Returns