

tf.histogram_fixed_width Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/histogram_fixed_width

Return histogram of values.

Function Signatures

```
tf.histogram_fixed_width( values, value_range, nbins=100,  
dtype=tf.dtypes.int32, name=None )
```

Code Examples

```
tf.histogram_fixed_width(  
    values,  
    value_range,  
    nbins=100,  
    dtype=tf.dtypes.int32,  
    name=None  
)
```

```
tf.histogram_fixed_width(  
    values,  
    value_range,  
    nbins=100,  
    dtype=tf.dtypes.int32,  
    name=None  
)
```

```
tf.dtypes.int32
```

```
# Bins will be: (-inf, 1), [1, 2), [2, 3), [3, 4), [4, inf)  
nbins = 5  
value_range = [0.0, 5.0]  
new_values = [-1.0, 0.0, 1.5, 2.0, 5.0, 15]  
hist = tf.histogram_fixed_width(new_values, value_range, nbins=5)  
hist.numpy()  
array([2, 1, 1, 0, 2], dtype=int32)
```

```
# Bins will be: (-inf, 1), [1, 2), [2, 3), [3, 4), [4, inf)
```

```
value_range = [0.0, 5.0]
```

Documentation

Return histogram of values.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.histogram_fixed_width`

Given the tensor values, this operation returns a rank 1 histogram counting the number of entries in values that fell into every bin. The bins are equal width and determined by the arguments `value_range` and `nbins`.

Returns

`## Raises`

`## Examples:`