

tf.is_tensor Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/is_tensor

Checks whether x is a TF-native type that can be passed to many TF ops.

Function Signatures

```
tf.is_tensor( x )
```

Code Examples

```
tf.is_tensor(  
x  
)
```

```
tf.is_tensor(  
x  
)
```

```
if not tf.is_tensor(t):  
t = tf.convert_to_tensor(t)  
return t.shape, t.dtype
```

```
if not tf.is_tensor(t):  
t = tf.convert_to_tensor(t)  
return t.shape, t.dtype
```

Documentation

Checks whether `x` is a TF-native type that can be passed to many TF ops.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.is_tensor`

Use `is_tensor` to differentiate types that can be ingested by TensorFlow ops without any conversion (e.g., `tf.Tensor`, `tf.SparseTensor`, and `tf.RaggedTensor`) from types that need to be converted into tensors before they are ingested (e.g., `numpy.ndarray` and Python scalars).

For example, in the following code block:

we check to make sure that `t` is a tensor (and convert it if not) before accessing its shape and dtype. (But note that not all TensorFlow native types have shapes or dtypes; `tf.data.Dataset` is an example of a TensorFlow native type that has neither shape nor dtype.)

`## Returns`

