

tf.ones Stay organized with collections

Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/ones

Creates a tensor with all elements set to one (1).

Function Signatures

```
tf.ones( shape, dtype=tf.dtypes.float32, name=None,
        layout=None )
```

Code Examples

```
tf.ones(
    shape,
    dtype=tf.dtypes.float32,
    name=None,
    layout=None
)
```

```
tf.ones(
    shape,
    dtype=tf.dtypes.float32,
    name=None,
    layout=None
)
```

```
tf.dtypes.float32
```

```
tf.ones([3, 4], tf.int32)
```

```
tf.ones([3, 4], tf.int32)
```

```
array([[1, 1, 1, 1],
```

```
[1, 1, 1, 1],
```

Documentation

Creates a tensor with all elements set to one (1).

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.ones`

Used in the notebooks

- Validating correctness & numerical equivalence
 - Use TF1.x models in TF2 workflows
 - Better performance with `tf.function`
 - Extension types
 - Ragged tensors
 - Multilevel Modeling Primer in TensorFlow Probability
 - Learnable Distributions Zoo
 - Probabilistic PCA
 - Policies
 - Bayesian Switchpoint Analysis

See also `tf.ones_like`, `tf.zeros`, `tf.fill`, `tf.eye`.

This operation returns a tensor of type `dtype` with shape `shape` and all elements set to one.

Returns