

tf.truncatediv Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/truncatediv

Returns x / y element-wise, rounded towards zero.

Function Signatures

```
tf.truncatediv( x: Annotated[Any, tf.raw_ops.Any], y:
Annotated[Any, tf.raw_ops.Any], name=None ) -> Annotated[Any,
tf.raw_ops.Any]
```

Code Examples

```
tf.truncatediv(  
  x: Annotated[Any, tf.raw_ops.Any],  
  y: Annotated[Any, tf.raw_ops.Any],  
  name=None  
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.truncatediv(  
  x: Annotated[Any, tf.raw_ops.Any],  
  y: Annotated[Any, tf.raw_ops.Any],  
  name=None  
) -> Annotated[Any, tf.raw_ops.Any]
```

```
tf.raw_ops.Any
```

```
tf.raw_ops.Any
```

```
tf.raw_ops.Any
```

Documentation

Returns x / y element-wise, rounded towards zero.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.truncatediv`

Truncation designates that negative numbers will round fractional quantities toward zero. I.e. $-7 / 5 = -1$. This matches C semantics but it is different than Python semantics. See `FloorDiv` for a division function that matches Python Semantics.

Returns