

tf.unique_with_counts Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/unique_with_counts

Finds unique elements in a 1-D tensor.

Function Signatures

```
tf.unique_with_counts( x, out_idx=tf.dtypes.int32, name=None
)
```

Code Examples

```
tf.unique_with_counts(  
x,  
out_idx=tf.dtypes.int32,  
name=None  
)
```

```
tf.unique_with_counts(  
x,  
out_idx=tf.dtypes.int32,  
name=None  
)
```

```
tf.dtypes.int32
```

```
# tensor 'x' is [1, 1, 2, 4, 4, 4, 7, 8, 8]  
y, idx, count = unique_with_counts(x)  
y ==> [1, 2, 4, 7, 8]  
idx ==> [0, 0, 1, 2, 2, 2, 3, 4, 4]  
count ==> [2, 1, 3, 1, 2]
```

```
# tensor 'x' is [1, 1, 2, 4, 4, 4, 7, 8, 8]  
y, idx, count = unique_with_counts(x)  
y ==> [1, 2, 4, 7, 8]  
idx ==> [0, 0, 1, 2, 2, 2, 3, 4, 4]  
count ==> [2, 1, 3, 1, 2]
```

Documentation

Finds unique elements in a 1-D tensor.

View aliases

Compat aliases for migration

See

Migration guide for
more details.

`tf.compat.v1.unique_with_counts`

This operation returns a tensor y containing all of the unique elements of x sorted in the same order that they occur in x . This operation also returns a tensor idx the same size as x that contains the index of each value of x in the unique output y . Finally, it returns a third tensor $count$ that contains the count of each element of y in x . In other words:

$y[idx[i]] = x[i]$ for i in $[0, 1, \dots, \text{rank}(x) - 1]$

For example:

Returns