

torch.cuda.memory.reset_max_memory_

https://pytorch.org/docs/stable/generated/torch.cuda.memory.reset_max_memory_

Description:

Reset the starting point in tracking maximum GPU memory occupied by tensors for a given device. See `max_memory_allocated()` for details. `device` (`torch.device` or `int`, optional) – selected device. Returns statistic for the current device, given by `current_device()`, if `device` is `None` (default). This function now calls `reset_peak_memory_stats()`, which resets /all/ peak memory stats.

Function Signature

```
torch.cuda.memory.reset_max_memory_allocated(device=None)  
[source]#
```

Parameters

Notes & Warnings

WARNING

Warning This function now calls `reset_peak_memory_stats()`, which resets /all/ peak memory stats.

NOTE

Note See Memory management for more details about GPU memory management.

Detailed Documentation

Documentation

Reset the starting point in tracking maximum GPU memory occupied by tensors for a given device.

See `max_memory_allocated()` for details.

`device` (`torch.device` or `int`, optional) – selected device. Returns statistic for the current device, given by `current_device()`, if `device` is `None` (default).

This function now calls `reset_peak_memory_stats()`, which resets /all/ peak memory stats.

See [Memory management](#) for more details about GPU memory management.

Reset the starting point in tracking maximum GPU memory occupied by tensors for a given device.

See `max_memory_allocated()` for details.

`device` (`torch.device` or `int`, optional) – selected device. Returns statistic for the current device, given by `current_device()`, if `device` is `None` (default).

This function now calls `reset_peak_memory_stats()`, which resets /all/ peak memory stats.

See [Memory management](#) for more details about GPU memory management.
