

# torch.cuda.memory.reset\_max\_memory\_

[https://pytorch.org/docs/stable/generated/torch.cuda.memory.reset\\_max\\_memory](https://pytorch.org/docs/stable/generated/torch.cuda.memory.reset_max_memory)

## Description:

Reset the starting point in tracking maximum GPU memory occupied by tensors for a given device. See `max_memory_allocated()` for details. `device` (`torch.device` or `int`, optional) – selected device. Returns statistic for the current device, given by `current_device()`, if `device` is `None` (default). This function now calls `reset_peak_memory_stats()`, which resets /all/ peak memory stats.

## Function Signature

---

```
torch.cuda.memory.reset_max_memory_allocated(device=None)  
[source]#
```

Parameters

## Notes & Warnings

---

### **WARNING**

Warning This function now calls `reset_peak_memory_stats()`, which resets /all/ peak memory stats.

### **NOTE**

Note See Memory management for more details about GPU memory management.

# Detailed Documentation

---

## Documentation

Reset the starting point in tracking maximum GPU memory occupied by tensors for a given device.

See `max_memory_allocated()` for details.

`device` (`torch.device` or `int`, optional) – selected device. Returns statistic for the current device, given by `current_device()`, if `device` is `None` (default).

This function now calls `reset_peak_memory_stats()`, which resets /all/ peak memory stats.

See [Memory management](#) for more details about GPU memory management.

Reset the starting point in tracking maximum GPU memory occupied by tensors for a given device.

See `max_memory_allocated()` for details.

`device` (`torch.device` or `int`, optional) – selected device. Returns statistic for the current device, given by `current_device()`, if `device` is `None` (default).

This function now calls `reset_peak_memory_stats()`, which resets /all/ peak memory stats.

See [Memory management](#) for more details about GPU memory management.

---

