

AdaptiveAvgPool1d#

<https://pytorch.org/docs/stable/generated/torch.nn.AdaptiveAvgPool1d.html#torch.nn.AdaptiveAvgPool1d>

Description:

Applies a 1D adaptive average pooling over an input signal composed of several input planes. The output size is L_{out} , for any input size. The number of output features is equal to the number of input planes. `output_size` (`Union[int, tuple[int]]`) – the target output size L_{out} . Input: (N, C, L_{in}) or (C, L_{in}) . Output: (N, C, L_{out}) or (C, L_{out}) , where $L_{out} = \text{output_size}$.

Function Signature

```
class torch.nn.AdaptiveAvgPool1d(output_size)[source]#
```

Parameters

Shape:

```
forward(input)[source]#
```

Return type

Returns:

Tensor

Code Examples

```
>>> # target output size of 5
>>> m = nn.AdaptiveAvgPool1d(5)
>>> input = torch.randn(1, 64, 8)
>>> output = m(input)
```

Detailed Documentation

Documentation

Applies a 1D adaptive average pooling over an input signal composed of several input planes.

The output size is L_{out} , for any input size. The number of output features is equal to the number of input planes.

`output_size` (`Union[int, tuple[int]]`) – the target output size L_{out} .

Input: (N, C, L_{in}) or (C, L_{in})

Output: (N, C, L_{out}) or (C, L_{out}) , where $L_{out} = \text{output_size}$.

Runs the forward pass.