

ParameterList#

<https://pytorch.org/docs/stable/generated/torch.nn.ParameterList.html#torch.nn.ParameterList>

Description:

Holds parameters in a list. ParameterList can be used like a regular Python list, but Tensors that are Parameter are properly registered, and will be visible by all Module methods. Note that the constructor, assigning an element of the list, the `append()` method and the `extend()` method will convert any Tensor into Parameter. `parameters` (iterable, optional) – an iterable of elements to add to the list.

Function Signature

```
class torch.nn.ParameterList(values=None)[source]#
```

Parameters

```
append(value)[source]#
```

Parameters

Return type

Returns:

str

Code Examples

```
class MyModule(nn.Module):
    def __init__(self) -> None:
        super().__init__()
        self.params = nn.ParameterList(
            [nn.Parameter(torch.randn(10, 10)) for i in
range(10)]
        )

    def forward(self, x):
        # ParameterList can act as an iterable, or be indexed
using ints
        for i, p in enumerate(self.params):
            x = self.params[i // 2].mm(x) + p.mm(x)
        return x
```

Detailed Documentation

Documentation

Holds parameters in a list.

ParameterList can be used like a regular Python list, but Tensors that are Parameter are properly registered, and will be visible by all Module methods.

Note that the constructor, assigning an element of the list, the `append()` method and the `extend()` method will convert any Tensor into Parameter.

`parameters (iterable, optional)` – an iterable of elements to add to the list.

Append a given value at the end of the list.

`value (Any)` – value to append

Append values from a Python iterable to the end of the list.

`values (iterable)` – iterable of values to append

Return the extra representation of the module.