

Sigmoid#

<https://pytorch.org/docs/stable/generated/torch.nn.Sigmoid.html#torch.nn.Sigmoid>

Description:

Applies the Sigmoid function element-wise. Input: $(*)^{(*)} (*)$, where $***$ means any number of dimensions. Output: $(*)^{(*)} (*)$, same shape as the input. Runs the forward pass.

Function Signature

```
class torch.nn.Sigmoid(*args, **kwargs)[source]#
```

Shape:

```
forward(input)[source]#
```

Return type

Returns:

Tensor

Code Examples

```
>>> m = nn.Sigmoid()  
>>> input = torch.randn(2)  
>>> output = m(input)
```

Detailed Documentation

Documentation

Applies the Sigmoid function element-wise.

Input: $(*)^{(*)}(*)$, where $*^{*}$ means any number of dimensions.

Output: $(*)^{(*)}(*)$, same shape as the input.

Runs the forward pass.

Applies the Sigmoid function element-wise.

Input: $(*)^{(*)}(*)$, where $*^{*}$ means any number of dimensions.

Input: $(*)^{(*)}(*)$, where $*^{*}$ means any number of dimensions.

Output: $(*)^{(*)}(*)$, same shape as the input.

Output: $(*)^{(*)}(*)$, same shape as the input.

Runs the forward pass.

