

Softshrink#

<https://pytorch.org/docs/stable/generated/torch.nn.Softshrink.html#torch.nn.Softshrink>

Description:

Applies the soft shrinkage function element-wise. lambda (float) – the λ value for the Softshrink formulation. Default: 0.5 Input: $(*)^{(*)} (*)$, where $^{(*)}$ means any number of dimensions. Output: $(*)^{(*)} (*)$, same shape as the input.

Function Signature

```
class torch.nn.Softshrink(lambda=0.5)[source]#
```

Parameters

Shape:

```
extra_repr()[source]#
```

Return type

Returns:

Tensor

Code Examples

```
>>> m = nn.Softshrink()  
>>> input = torch.randn(2)  
>>> output = m(input)
```

Detailed Documentation

Documentation

Applies the soft shrinkage function element-wise.

lambd (float) – the λ (must be no less than zero) value for the Softshrink formulation. Default: 0.5

Input: $(*)^{(*)} (*)$, where $***$ means any number of dimensions.

Output: $(*)^{(*)} (*)$, same shape as the input.

Return the extra representation of the module.

Applies the soft shrinkage function element-wise.

lambd (float) – the λ (must be no less than zero) value for the Softshrink formulation. Default: 0.5

Input: $(*)^{(*)} (*)$, where $***$ means any number of dimensions.

Input: $(*)^{(*)} (*)$, where $***$ means any number of dimensions.

Output: $(*)^{(*)} (*)$, same shape as the input.

Output: $(*)^{(*)} (*)$, same shape as the input.

Return the extra representation of the module.
