

# Softsign#

<https://pytorch.org/docs/stable/generated/torch.nn.Softsign.html#torch.nn.Softsign>

## Description:

Applies the element-wise Softsign function. Input:  $(*)^{(*)} (*)$ , where  $***$  means any number of dimensions. Output:  $(*)^{(*)} (*)$ , same shape as the input. Runs the forward pass.

## Function Signature

---

```
class torch.nn.Softsign(*args, **kwargs)[source]#
```

Shape:

```
forward(input)[source]#
```

Return type

## Returns:

Tensor

## Code Examples

---

```
>>> m = nn.Softsign()
>>> input = torch.randn(2)
>>> output = m(input)
```

## Detailed Documentation

---

### Documentation

Applies the element-wise Softsign function.

Input:  $(*)^{(*)}(*)$ , where  $*^*$  means any number of dimensions.

Output:  $(*)^{(*)}(*)$ , same shape as the input.

Runs the forward pass.

Applies the element-wise Softsign function.

Input:  $(*)^{(*)}(*)$ , where  $*^*$  means any number of dimensions.

Input:  $(*)^{(*)}(*)$ , where  $*^*$  means any number of dimensions.

Output:  $(*)^{(*)}(*)$ , same shape as the input.

Output:  $(*)^{(*)}(*)$ , same shape as the input.

Runs the forward pass.

