

torch.nn.functional.cosine_embedding_loss

https://pytorch.org/docs/stable/generated/torch.nn.functional.cosine_embedding_loss.html

Description:

Compute the cosine embedding loss. See CosineEmbeddingLoss for details. input1 (Tensor) – Predicted values. input2 (Tensor) – Predicted values. target (Tensor) – Ground truth values.

Function Signature

```
torch.nn.functional.cosine_embedding_loss(input1, input2,
target, margin=0, size_average=None, reduce=None,
reduction='mean')[source]#
```

Parameters

Returns

Return type

Returns:

Tensor

Detailed Documentation

Documentation

Compute the cosine embedding loss.

See `CosineEmbeddingLoss` for details.

`input1` (Tensor) – Predicted values.

`input2` (Tensor) – Predicted values.

`target` (Tensor) – Ground truth values.

`margin` (float, optional) – Margin for cosine embedding. Has a default value of 0.

`size_average` (bool, optional) – Deprecated (see reduction).

`reduce` (bool, optional) – Deprecated (see reduction).

`reduction` (str, optional) – Specifies the reduction to apply to the output: ‘none’ | ‘mean’ | ‘sum’. ‘mean’: the mean of the output is taken. ‘sum’: the output will be summed. ‘none’: no reduction will be applied. Default: ‘mean’.

Cosine embedding loss.