

torch.nn.functional.feature_alpha_dropout

https://pytorch.org/docs/stable/generated/torch.nn.functional.feature_alpha_dropout

Description:

Randomly masks out entire channels (a channel is a feature map). For example, the j -th channel of the i -th sample in the batch input is a tensor $\text{input}[i, j]$ of the input tensor. Instead of setting activations to zero, as in regular Dropout, the activations are set to the negative saturation value of the SELU activation function. Each element will be masked independently on every forward call with probability p using samples from a Bernoulli distribution. The elements to be masked are randomized on every forward call, and scaled and shifted to maintain zero mean and unit variance. See `FeatureAlphaDropout` for details. p (float) – dropout probability of a channel to be zeroed. Default: 0.5

Function Signature

```
torch.nn.functional.feature_alpha_dropout(input, p=0.5,  
training=False, inplace=False)[source]#
```

Parameters

Return type

Returns:

Tensor

Detailed Documentation

Documentation

Randomly masks out entire channels (a channel is a feature map).

For example, the jjj -th channel of the iii -th sample in the batch input is a tensor $\text{input}[i,j]$ of the input tensor. Instead of setting activations to zero, as in regular Dropout, the activations are set to the negative saturation value of the SELU activation function.

Each element will be masked independently on every forward call with probability p using samples from a Bernoulli distribution. The elements to be masked are randomized on every forward call, and scaled and shifted to maintain zero mean and unit variance.

See `FeatureAlphaDropout` for details.

p (float) – dropout probability of a channel to be zeroed. Default: 0.5

training (bool) – apply dropout if is True. Default: True

inplace (bool) – If set to True, will do this operation in-place. Default: False