

torch.nn.functional.pixel_shuffle#

https://pytorch.org/docs/stable/generated/torch.nn.functional.pixel_shuffle.

Description:

Rearranges elements in a tensor of shape $(*, C \times r^2, H, W)$ ($*, C \times r^2, H, W$) to a tensor of shape $(*, C, H \times r, W \times r)$ ($*, C, H \times r, W \times r$), where r is the `upscale_factor`. See `PixelShuffle` for details. `input` (Tensor) – the input tensor `upscale_factor` (int) – factor to increase spatial resolution by

Function Signature

```
torch.nn.functional.pixel_shuffle(input, upscale_factor) → Tensor#
```

Parameters

Code Examples

```
>>> input = torch.randn(1, 9, 4, 4)
>>> output = torch.nn.functional.pixel_shuffle(input, 3)
>>> print(output.size())
torch.Size([1, 1, 12, 12])
```

Detailed Documentation

Documentation

Rearranges elements in a tensor of shape $(*, C \times r^2, H, W)$ to a tensor of shape $(*, C, H \times r, W \times r)$, where r is the `upscale_factor`.

See `PixelShuffle` for details.

`input (Tensor)` – the input tensor

`upscale_factor (int)` – factor to increase spatial resolution by

Rearranges elements in a tensor of shape $(*, C \times r^2, H, W)$ to a tensor of shape $(*, C, H \times r, W \times r)$, where r is the `upscale_factor`.

See `PixelShuffle` for details.

`input (Tensor)` – the input tensor

`input (Tensor)` – the input tensor

`upscale_factor (int)` – factor to increase spatial resolution by

`upscale_factor (int)` – factor to increase spatial resolution by