

torch.nn.functional.prelu#

<https://pytorch.org/docs/stable/generated/torch.nn.functional.prelu.html>

Description:

Applies element-wise the function $\text{PReLU}(x) = \max(0, x) + \text{weight} * \min(0, x)$ where weight is a learnable parameter. weight is expected to be a scalar or 1-D tensor. If weight is 1-D, its size must match the number of input channels, determined by `input.size(1)` when `input.dim() >= 2`, otherwise 1. In the 1-D case, note that when input has `dim > 2`, weight can be expanded to the shape of input in a way that is not possible using normal broadcasting semantics. See PReLU for more details.

Function Signature

```
torch.nn.functional.prelu(input, weight) → Tensor#
```

Notes & Warnings

NOTE

Note weight is expected to be a scalar or 1-D tensor. If weight is 1-D, its size must match the number of input channels, determined by `input.size(1)` when `input.dim() >= 2`, otherwise 1. In the 1-D case, note that when input has `dim > 2`, weight can be expanded to the shape of input in a way that is not possible using normal broadcasting semantics.

Detailed Documentation

Documentation

Applies element-wise the function $\text{PReLU}(x) = \max(0, x) + \text{weight} * \min(0, x)$ where weight is a learnable parameter.

weight is expected to be a scalar or 1-D tensor. If weight is 1-D, its size must match the number of input channels, determined by `input.size(1)` when `input.dim() >= 2`, otherwise 1. In the 1-D case, note that when input has `dim > 2`, weight can be expanded to the shape of input in a way that is not possible using normal broadcasting semantics.

See `PReLU` for more details.