

Hardshrink#

[https://pytorch.org/docs/stable/generated/torch.nn.modules.activation.Hardsh](https://pytorch.org/docs/stable/generated/torch.nn.modules.activation.Hardshrink)

Description:

Applies the Hard Shrinkage (Hardshrink) function element-wise. Hardshrink is defined as: $\text{Hardshrink}(x, \lambda) = \max(0, 1 - \lambda) \cdot x$ where λ is the shrinkage value for the Hardshrink formulation. Default: 0.5 Input: $(*)^{(*)}^{(*)}$, where $***$ means any number of dimensions. Output: $(*)^{(*)}^{(*)}$, same shape as the input.

Function Signature

```
class torch.nn.modules.activation.Hardshrink(lambd=0.5)  
[source]#
```

Parameters

Shape:

```
extra_repr()[source]#
```

Return type

Returns:

Tensor

Code Examples

```
>>> m = nn.Hardshrink()  
>>> input = torch.randn(2)  
>>> output = m(input)
```

Detailed Documentation

Documentation

Applies the Hard Shrinkage (Hardshrink) function element-wise.

Hardshrink is defined as:

lambd (float) – the λ value for the Hardshrink formulation. Default: 0.5

Input: $(*)^{(*)} (*)$, where $*^{**}$ means any number of dimensions.

Output: $(*)^{(*)} (*)$, same shape as the input.

Return the extra representation of the module.

Applies the Hard Shrinkage (Hardshrink) function element-wise.

Hardshrink is defined as:

lambd (float) – the λ value for the Hardshrink formulation. Default: 0.5

Input: $(*)^{(*)} (*)$, where $*^{**}$ means any number of dimensions.

Input: $(*)^{(*)} (*)$, where $*^{**}$ means any number of dimensions.

Output: $(*)^{(*)} (*)$, same shape as the input.

Output: $(*)^{(*)} (*)$, same shape as the input.

Return the extra representation of the module.

