

LogSigmoid#

<https://pytorch.org/docs/stable/generated/torch.nn.modules.activation.LogSigmoid.html>

Description:

Applies the Logsigmoid function element-wise. Input: $(*)^{(*)}(*)$, where $***$ means any number of dimensions. Output: $(*)^{(*)}(*)$, same shape as the input.

Function Signature

```
class torch.nn.modules.activation.LogSigmoid(*args,  
**kwargs)[source]#
```

Shape:

```
forward(input)[source]#
```

Return type

Returns:

Tensor

Code Examples

```
>>> m = nn.LogSigmoid()
>>> input = torch.randn(2)
>>> output = m(input)
```

Detailed Documentation

Documentation

Applies the Logsigmoid function element-wise.

Input: $(*)^{(*)}(*)$, where $*^{**}$ means any number of dimensions.

Output: $(*)^{(*)}(*)$, same shape as the input.

Applies the Logsigmoid function element-wise.

Input: $(*)^{(*)}(*)$, where $*^{**}$ means any number of dimensions.

Input: $(*)^{(*)}(*)$, where $*^{**}$ means any number of dimensions.

Output: $(*)^{(*)}(*)$, same shape as the input.

Output: $(*)^{(*)}(*)$, same shape as the input.

