

torch.nn.utils.get_total_norm#

https://pytorch.org/docs/stable/generated/torch.nn.utils.get_total_norm.html

Description:

Compute the norm of an iterable of tensors. The norm is computed over the norms of the individual tensors, as if the norms of the individual tensors were concatenated into a single vector. tensors (Iterable[Tensor] or Tensor) – an iterable of Tensors or a single Tensor that will be normalized norm_type (float) – type of the used p-norm. Can be 'inf' for infinity norm. error_if_nonfinite (bool) – if True, an error is thrown if the total norm of tensors is nan, inf, or -inf. Default: False

Function Signature

```
torch.nn.utils.get_total_norm(tensors, norm_type=2.0,  
error_if_nonfinite=False, foreach=None)[source]#
```

Parameters

Returns

Return type

Returns:

Tensor

Detailed Documentation

Documentation

Compute the norm of an iterable of tensors.

The norm is computed over the norms of the individual tensors, as if the norms of the individual tensors were concatenated into a single vector.

tensors (Iterable[Tensor] or Tensor) – an iterable of Tensors or a single Tensor that will be normalized

norm_type (float) – type of the used p-norm. Can be 'inf' for infinity norm.

error_if_nonfinite (bool) – if True, an error is thrown if the total norm of tensors is nan, inf, or -inf. Default: False

foreach (bool) – use the faster foreach-based implementation. If None, use the foreach implementation for CUDA and CPU native tensors and silently fall back to the slow implementation for other device types. Default: None

Total norm of the tensors (viewed as a single vector).