

torch.nn.utils.prune.identity#

<https://pytorch.org/docs/stable/generated/torch.nn.utils.prune.identity.html>

Description:

Apply pruning reparametrization without pruning any units. Applies pruning reparametrization to the tensor corresponding to the parameter called name in module without actually pruning any units. Modifies module in place (and also return the modified module) by: adding a named buffer called name+'_mask' corresponding to the binary mask applied to the parameter name by the pruning method. replacing the parameter name by its pruned version, while the original (unpruned) parameter is stored in a new parameter named name+'_orig'.

Function Signature

```
torch.nn.utils.prune.identity(module, name)[source]#
```

Parameters

Returns

Return type

Returns:

module (nn.Module)

Code Examples

```
>>> m = prune.identity(nn.Linear(2, 3), "bias")
>>> print(m.bias_mask)
tensor([1., 1., 1.]
```

Notes & Warnings

NOTE The mask is a tensor of ones.

Detailed Documentation

Documentation

Apply pruning reparametrization without pruning any units.

Applies pruning reparametrization to the tensor corresponding to the parameter called `name` in `module` without actually pruning any units. Modifies `module` in place (and also return the modified module) by:

adding a named buffer called `name+'_mask'` corresponding to the binary mask applied to the parameter `name` by the pruning method.

replacing the parameter `name` by its pruned version, while the original (unpruned) parameter is stored in a new parameter named `name+'_orig'`.

The mask is a tensor of ones.

`module` (`nn.Module`) – module containing the tensor to prune.

`name` (`str`) – parameter name within module on which pruning will act.

modified (i.e. pruned) version of the input module