

torch.nn.utils.rnn.pack_sequence#

[https://pytorch.org/docs/stable/generated/torch.nn.utils.rnn.pack_sequence.h](https://pytorch.org/docs/stable/generated/torch.nn.utils.rnn.pack_sequence.html)

Description:

Packs a list of variable length Tensors. Consecutive call of the next functions: `pad_sequence`, `pack_padded_sequence`. sequences should be a list of Tensors of size $L \times *$, where L is the length of a sequence and $*$ is any number of trailing dimensions, including 0. For unsorted sequences, use `enforce_sorted = False`. If `enforce_sorted` is `True`, the sequences should be sorted in the order of decreasing length. `enforce_sorted = True` is only necessary for ONNX export.

Function Signature

```
torch.nn.utils.rnn.pack_sequence(sequences,  
enforce_sorted=True)[source]#
```

Parameters

Returns

Return type

Returns:

PackedSequence

Code Examples

```
>>> from torch.nn.utils.rnn import pack_sequence
>>> a = torch.tensor([1, 2, 3])
>>> b = torch.tensor([4, 5])
>>> c = torch.tensor([6])
>>> pack_sequence([a, b, c])
PackedSequence(data=tensor([1, 4, 6, 2, 5, 3]),
batch_sizes=tensor([3, 2, 1]), sorted_indices=None,
unsorted_indices=None)
```

Detailed Documentation

Documentation

Packs a list of variable length Tensors.

Consecutive call of the next functions: `pad_sequence`, `pack_padded_sequence`.

`sequences` should be a list of Tensors of size $L \times *$, where L is the length of a sequence and $*$ is any number of trailing dimensions, including 0.

For unsorted sequences, use `enforce_sorted = False`. If `enforce_sorted` is `True`, the sequences should be sorted in the order of decreasing length. `enforce_sorted = True` is only necessary for ONNX export.

`sequences (list[Tensor])` – A list of sequences of decreasing length.

`enforce_sorted (bool, optional)` – if `True`, checks that the input contains sequences sorted by length in a decreasing order. If `False`, this condition is not checked. Default: `True`.

a `PackedSequence` object