

torch.optim.Optimizer.register_load_state

https://pytorch.org/docs/stable/generated/torch.optim.Optimizer.register_load_state_dict_hook.html

Description:

Register a `load_state_dict` post-hook which will be called after `load_state_dict()` is called. It should have the following signature: The `optimizer` argument is the optimizer instance being used. The hook will be called with argument `self` after calling `load_state_dict` on `self`. The registered hook can be used to perform post-processing after `load_state_dict` has loaded the `state_dict`. `hook` (Callable) – The user defined hook to be registered. `prepend` (bool) – If True, the provided post hook will be fired before all the already registered post-hooks on `load_state_dict`. Otherwise, the provided hook will be fired after all the already registered post-hooks. (default: False)

Function Signature

```
Optimizer.register_load_state_dict_post_hook(hook,  
prepend=False)[source]#
```

Parameters

Returns

Return type

Returns:

torch.utils.hooks.RemoveableHandle

Code Examples

```
hook(optimizer) -> None
```

Detailed Documentation

Documentation

Register a `load_state_dict` post-hook which will be called after `load_state_dict()` is called. It should have the following signature:

The optimizer argument is the optimizer instance being used.

The hook will be called with argument `self` after calling `load_state_dict` on `self`. The registered hook can be used to perform post-processing after `load_state_dict` has loaded the `state_dict`.

`hook` (Callable) – The user defined hook to be registered.

`prepend` (bool) – If `True`, the provided post hook will be fired before all the already registered post-hooks on `load_state_dict`. Otherwise, the provided hook will be fired after all the already registered post-hooks. (default: `False`)

a handle that can be used to remove the added hook by calling `handle.remove()`

`torch.utils.hooks.RemoveableHandle`