

ExponentialLR#

https://pytorch.org/docs/stable/generated/torch.optim.lr_scheduler.ExponentialLR.html

Description:

Decays the learning rate of each parameter group by gamma every epoch. When last_epoch=-1, sets initial lr as lr. optimizer (Optimizer) – Wrapped optimizer. gamma (float) – Multiplicative factor of learning rate decay. last_epoch (int) – The index of last epoch. Default: -1.

Function Signature

```
class torch.optim.lr_scheduler.ExponentialLR(optimizer,  
gamma, last_epoch=-1)[source]#
```

Parameters

```
get_last_lr()[source]#
```

Return type

```
get_lr()[source]#
```

Returns:

dict[str, Any]

Code Examples

```
>>> scheduler = ExponentialLR(optimizer, gamma=0.95)
>>> for epoch in range(100):
>>>     train(...)
>>>     validate(...)
>>>     scheduler.step()
```

Detailed Documentation

Documentation

Decays the learning rate of each parameter group by gamma every epoch.

When `last_epoch=-1`, sets initial lr as lr.

`optimizer (Optimizer)` – Wrapped optimizer.

`gamma (float)` – Multiplicative factor of learning rate decay.

`last_epoch (int)` – The index of last epoch. Default: -1.

Return last computed learning rate by current scheduler.

Compute the learning rate of each parameter group.

Load the scheduler's state.

`state_dict (dict)` – scheduler state. Should be an object returned from a call to `state_dict()`.

Return the state of the scheduler as a dict.

It contains an entry for every variable in `self.__dict__` which is not the optimizer.