

# QFunctional#

[https://pytorch.org/docs/stable/generated/torch.nn.quantized.QFunctional.](https://pytorch.org/docs/stable/generated/torch.nn.quantized.QFunctional.html)

## Description:

Wrapper class for quantized operations. The instance of this class can be used instead of the `torch.ops.quantized` prefix. See example usage below. This class does not provide a forward hook. Instead, you must use one of the underlying functions (e.g. `add`).

## Function Signature

---

```
class torch.nn.quantized.QFunctional[source]#
```

Valid operation names:

## Code Examples

---

```
>>> q_add = QFunctional()
>>> a = torch.quantize_per_tensor(torch.tensor(3.0), 1.0, 0,
    torch.qint32)
>>> b = torch.quantize_per_tensor(torch.tensor(4.0), 1.0, 0,
    torch.qint32)
>>> q_add.add(a, b) # Equivalent to
    ``torch.ops.quantized.add(a, b, 1.0, 0)``
```

## Notes & Warnings

---

**NOTE** This class does not provide a forward hook. Instead, you must use one of the underlying functions (e.g. `add`).

# Detailed Documentation

---

## Documentation

Wrapper class for quantized operations.

The instance of this class can be used instead of the `torch.ops.quantized` prefix. See example usage below.

This class does not provide a forward hook. Instead, you must use one of the underlying functions (e.g. `add`).

Wrapper class for quantized operations.

The instance of this class can be used instead of the `torch.ops.quantized` prefix. See example usage below.

This class does not provide a forward hook. Instead, you must use one of the underlying functions (e.g. `add`).