

avg_pool3d#

https://pytorch.org/docs/stable/generated/torch.nn.quantized.functional.avg_pool3d.html

Description:

Applies 3D average-pooling operation in $kD \times kH \times kW$ regions by step size $sD \times sH \times sW$ steps. The number of output features is equal to the number of input planes. The input quantization parameters propagate to the output. $\text{input} - \text{quantized input tensor}$ $(\text{minibatch}, \text{in_channels}, iH, iW)$ $(\text{minibatch}, \text{in_channels}, iH, iW)$ $\text{kernel_size} - \text{size of the pooling region.}$ Can be a single number or a tuple (kD, kH, kW)

Function Signature

```
class torch.nn.quantized.functional.avg_pool3d(input,
kernel_size, stride=None, padding=0, ceil_mode=False,
count_include_pad=True, divisor_override=None)[source]#
```

Parameters

Notes & Warnings

NOTE

Note The input quantization parameters propagate to the output.

Detailed Documentation

Documentation

Applies 3D average-pooling operation in $kD \times kH \times kW$ regions by step size $sD \times sH \times sW$ steps. The number of output features is equal to the number of input planes.

The input quantization parameters propagate to the output.

`input` – quantized input tensor (`minibatch, in_channels, iH, iW`) , `(minibatch, in_channels, iH, iW)`

`kernel_size` – size of the pooling region. Can be a single number or a tuple (`kD, kH, kW`)

`stride` – stride of the pooling operation. Can be a single number or a tuple (`sD, sH, sW`).

Default: `kernel_size`

`padding` – implicit zero paddings on both sides of the input. Can be a single number or a tuple (`padD, padH, padW`). Default: 0

`ceil_mode` – when `True`, will use ceil instead of floor in the formula to compute the output shape. Default: `False`

`count_include_pad` – when `True`, will include the zero-padding in the averaging calculation. Default: `True`

`divisor_override` – if specified, it will be used as divisor, otherwise size of the pooling region will be used. Default: `None`

