

FuseCustomConfig#

https://pytorch.org/docs/stable/generated/torch.ao.quantization.fx.custom_config.ConvertCustomConfig.html

Description:

Custom configuration for `fuse_fx()`. Create a `ConvertCustomConfig` from a dictionary with the following items: “`preserved_attributes`”: a list of attributes that persist even if they are not used in forward. This function is primarily for backward compatibility and may be removed in the future.

Function Signature

```
class
torch.ao.quantization.fx.custom_config.FuseCustomConfig[source]#
classmethod from_dict(fuse_custom_config_dict)[source]#
Return type
set_preserved_attributes(attributes)[source]#
Return type
```

Returns:

dict[str, Any]

Code Examples

```
fuse_custom_config =  
FuseCustomConfig().set_preserved_attributes(  
    ["attr1", "attr2"]  
)
```

Detailed Documentation

Documentation

Custom configuration for `fuse_fx()`.

Create a `ConvertCustomConfig` from a dictionary with the following items:

“`preserved_attributes`”: a list of attributes that persist even if they are not used in forward

This function is primarily for backward compatibility and may be removed in the future.

Set the names of the attributes that will persist in the graph module even if they are not used in the model’s forward method.

Convert this `FuseCustomConfig` to a dictionary with the items described in `from_dict()`.