

prepare#

<https://pytorch.org/docs/stable/generated/torch.ao.quantization.prepare.html>

Description:

Prepares a copy of the model for quantization calibration or quantization-aware training. Quantization configuration should be assigned preemptively to individual submodules in `.qconfig` attribute. The model will be attached with observer or fake quant modules, and `qconfig` will be propagated. `model` – input model to be modified in-place `inplace` – carry out model transformations in-place, the original module is mutated

Function Signature

```
class torch.ao.quantization.prepare(model, inplace=False,
allow_list=None, observer_non_leaf_module_list=None,
prepare_custom_config_dict=None)[source]#
```

Parameters

Code Examples

```
# Example of prepare_custom_config_dict:
prepare_custom_config_dict = {
    # user will manually define the corresponding observed
    # module class which has a from_float class method that
    # converts
    # float custom module to observed custom module
    "float_to_observed_custom_module_class": {CustomModule:
ObservedCustomModule}
}
```

Detailed Documentation

Documentation

Prepares a copy of the model for quantization calibration or quantization-aware training.

Quantization configuration should be assigned preemptively to individual submodules in `.qconfig` attribute.

The model will be attached with observer or fake quant modules, and `qconfig` will be propagated.

`model` – input model to be modified in-place

`inplace` – carry out model transformations in-place, the original module is mutated

`allow_list` – list of quantizable modules

`observer_non_leaf_module_list` – list of non-leaf modules we want to add observer

`prepare_custom_config_dict` – customization configuration dictionary for `prepare` function