

prepare_qat#

[https://pytorch.org/docs/stable/generated/torch.ao.quantization.prepare_qat.](https://pytorch.org/docs/stable/generated/torch.ao.quantization.prepare_qat.html)

Description:

Prepares a copy of the model for quantization calibration or quantization-aware training and converts it to quantized version. Quantization configuration should be assigned preemptively to individual submodules in `.qconfig` attribute. `model` – input model to be modified in-place
`mapping` – dictionary that maps float modules to quantized modules to be replaced. `inplace` – carry out model transformations in-place, the original module is mutated

Function Signature

```
class torch.ao.quantization.prepare_qat(model, mapping=None, inplace=False)[source]#
```

Parameters

Detailed Documentation

Documentation

Prepares a copy of the model for quantization calibration or quantization-aware training and converts it to quantized version.

Quantization configuration should be assigned preemptively to individual submodules in `.qconfig` attribute.

`model` – input model to be modified in-place

`mapping` – dictionary that maps float modules to quantized modules to be replaced.

`inplace` – carry out model transformations in-place, the original module is mutated

Prepares a copy of the model for quantization calibration or quantization-aware training and converts it to quantized version.

Quantization configuration should be assigned preemptively to individual submodules in `.qconfig` attribute.

`model` – input model to be modified in-place

`model` – input model to be modified in-place

`mapping` – dictionary that maps float modules to quantized modules to be replaced.

`mapping` – dictionary that maps float modules to quantized modules to be replaced.

`inplace` – carry out model transformations in-place, the original module is mutated

`inplace` – carry out model transformations in-place, the original module is mutated
