

torch.argmax#

<https://pytorch.org/docs/stable/generated/torch.argmax.html>

Description:

Returns the indices of the maximum value of all elements in the input tensor. This is the second value returned by `torch.max()`. See its documentation for the exact semantics of this method. If there are multiple maximal values then the indices of the first maximal value are returned. input (Tensor) – the input tensor.

Function Signature

```
torch.argmax(input) → LongTensor#
```

Parameters

```
torch.argmax(input, dim, keepdim=False) → LongTensor
```

Parameters

Code Examples

```
>>> a = torch.randn(4, 4)
>>> a
tensor([[ 1.3398,  0.2663, -0.2686,  0.2450],
        [-0.7401, -0.8805, -0.3402, -1.1936],
        [ 0.4907, -1.3948, -1.0691, -0.3132],
        [-1.6092,  0.5419, -0.2993,  0.3195]])
>>> torch.argmax(a)
tensor(0)
```

```
>>> a = torch.randn(4, 4)
>>> a
tensor([[ 1.3398,  0.2663, -0.2686,  0.2450],
        [-0.7401, -0.8805, -0.3402, -1.1936],
        [ 0.4907, -1.3948, -1.0691, -0.3132],
        [-1.6092,  0.5419, -0.2993,  0.3195]])
>>> torch.argmax(a, dim=1)
tensor([ 0,  2,  0,  1])
```

Notes & Warnings

NOTE If there are multiple maximal values then the indices of the first maximal value are returned.

Detailed Documentation

Documentation

Returns the indices of the maximum value of all elements in the input tensor.

This is the second value returned by `torch.max()`. See its documentation for the exact semantics of this method.

If there are multiple maximal values then the indices of the first maximal value are returned.

`input (Tensor)` – the input tensor.

Returns the indices of the maximum values of a tensor across a dimension.

This is the second value returned by `torch.max()`. See its documentation for the exact semantics of this method.

`input (Tensor)` – the input tensor.

`dim` – the dimension to reduce.